



Mitch Cron **USEPA Region III** Hazardous Site Cleanup Division 3HS22 1650 Arch Street Philadelphia, Pennsylvania 19103-2029

ARCADIS Inc. 6 Terry Drive Suite 300 Newtown Pennsylvania 18940 Tel 267 685-1800 Fax 267 685-1801

Environmental

17 June 2004

Frank C. Natitus

(267) 685-1833

Date

Extension:

Subject:

Bally Sub-Slab Sampling Analytical Data Package and Data Validation Memo

ARCADIS Project No.: NP000597.0004.00002

Dear Mitch,

On behalf of American Household Inc. (AHI), ARCADIS is submitting the laboratory analytical data package for the analysis of the sub-slab vapor samples collected at the former Bally Engineered Structures (BES) facility in March and April of 2004. In addition, attached for your review is the data validation memo "Data Validation of Vapor Samples Collected From Bally, Pennsylvania in March And April 2004". ARCADIS previously submitted the details and results of the March/April 2004 sub-slab vapor sampling event in the 5 May 2004 summary letter.

Please feel free to contact me if you have any questions or comments.

Sincerely,

ARCADIS G&M, Inc.

Frank C. Natitus, P.E. Project Manager


Attachments

Copies:

R. Gahagan

C. Gahagan

Laboratory Analytical Data Package



Electronic Comprehensive Validation Package

Air Toxics Ltd.

180 Blue Ravine Road Ste. B

Folsom, CA 95630 Phone: 916/985-1000

Fax: 916/985-1020

eMail: atl@airtoxics.com

www.airtoxics.com

SAMPLE NAME: SV-1

ID#: 0404179A-01A

MODIFIED EPA METHOD TO-15 GC/MS SIM


Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (uG/m3)	Amount (uG/m3) .
Vinyl Chloride	0.089	Not Detected	0.23	Not Detected
1,1-Dichloroethene	0.089	120	0.36	500
cis-1,2-Dichloroethene	0.18	0.22	0.72	0.89
Trichloroethene	0.18	24	0.98	130
1,1,1-Trichloroethane	0.18	47	0.99	260
1,1-Dichloroethane	0.18	0.26	0.73	1,1
Container Type: 6 Liter Summa	Canister (SIM Certified)			
		•		Method
Surrogates		%Recovery		Limits
1,2-Dichloroethane-d4	·	118		70-130
Toluene-d8		105		70-130
4-Bromofluorobenzene		103	•	70-130

SAMPLE NAME: SV-2

ID#: 0404179A-02A

MODIFIED EPA METHOD TO-15 GC/MS SIM

File Name Dil. Factori	f041308 5.44		Date of Collection: 4/7/04 Date of Analysis: 4/13/04 05:37 PM	
Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (uG/m3)	Amount (uG/m3)
Vinyl Chloride	0.054	Not Detected	0.14	Not Detected
1,1-Dichloroethene	0.054	44	0.22	180
cis-1,2-Dichloroethene	0.11	0.90	0.44	3.6
Trichloroethene	0.11	26	0.59	140
1,1,1-Trichloroethane	0.11	100	0.60	560
1,1-Dichloroethane	0.11	0.51	0.45	2.1
Container Type: 6 Liter Summa	Canister (SIM Certified)			Method
Surrogates		%Recovery		Limits
1,2-Dichloroethane-d4		108		70-130
Toluene-d8		102	,	70-130
4-Bromofluorobenzene		102		70-130



Air Toxics Ltd.

180 Blue Ravine Road Ste. B

Folsom, CA 95630

Phone: 916/985-1000

Fax: 916/985-1020

eMail: atl@airtoxics.com

www.airtoxics.com

SAMPLE NAME: SV-3

ID#: 0404179B-03A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

Dill Factor	26.4		Date Of Allarysis.	/22/04 10:45 AM
Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (uG/m3)	Amount (uG/m3)
Vinyl Chloride	13	Not Detected	34	Not Detected
1,1-Dichloroethene	13	Not Detected	53	Not Detected
1,1-Dichloroethane	13	Not Detected	54	Not Detected
cis-1,2-Dichloroethene	13	Not Detected	53	Not Detected
1,1,1-Trichloroethane	13	Not Detected	73	Not Detected
Trichloroethene	13	2400	72	13000
Container Type: 6 Liter Summa	Canister (SIM Certified)			Method
Surrogates		%Recovery	·	Limits
Toluene-d8		99		70-130
1,2-Dichloroethane-d4		103		70-130
		99		70-130

SAMPLE NAME: SV-4

ID#: 0404179B-04A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

File Name: Dil Factor:	i042208 10.7	Company of the Compan	Date of Collection. Date of Analysis: 4	dir.
Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (uG/m3)	Amount (uG/m3)
Vinyl Chloride	5.4	Not Detected	14	Not Detected
1,1-Dichloroethene	5.4,	Not Detected	22	Not Detected
1,1-Dichloroethane	5.4	Not Detected	22	Not Detected
cis-1,2-Dichloroethene	5.4	17	22	70
1,1,1-Trichloroethane	5.4	12	30	67
Trichloroethene	5.4	1100	29	6100
Container Type: 6 Liter Summa Can	ister (SIM Certified)			\$ 4 a \$ la = - d
Surrogates		%Recovery		Method Limits
Toluene-d8		97		70-130
1,2-Dichloroethane-d4		101		70-130
4-Bromofluorobenzene		98		70-130

Data Validation Report

DATA VALIDATION OF VAPOR SAMPLES COLLECTED FROM BALLY, PENNSYLVANIA IN MARCH AND APRIL 2004

APRIL 30, 2004

REVIEWED BY DONNA M. BROWN



Infrastructure, buildings, environment, communications

ARCADIS Table of Contents

Data	Validation Narrative for SDG 0404179A	1
	Overview for SDG 0404179A	1
	Summary for SDG 0404179A	1
·	Major Problems for SDG 0404179A	1
	Minor Problems for SDG 0404179A	1
	Notes for SDG 0404179A	1
	Report Content Statement for SDG 0404179A	1
Data	Validation Narrative for SDG 0404179B	2
	Overview for SDG 0404179B	2
	Summary for SDG 0404179B	2
	Major Problems for SDG 0404179B	2
	Minor Problems for SDG 0404179B	2
	Notes for SDG 0404179B	2
	Report Content Statement for SDG 0404179B	2

Appendices

- A Glossary of Data Qualifiers for all SDGs, Not Applicable
- B Data Summary Forms by SDG, Not Applicable
- C Laboratory Report Results by SDG
- D Laboratory Report TiCs, Not Analyzed
- E Support Documents by SDG, Not Applicable

ARCADIS

Data Validation

Bally, PA

Data Validation Narrative for SDG 0404179A

Overview for SDG 0404179A

The samples were sent to Air Toxic Ltd, located in Folsom, California for analysis. The samples were analyzed for selected volatile organic compounds (VOCs) by modified United States Environmental Protection Agency (USEPA) method TO-15 GC/MS SIM.

Two samples (SV-1 and SV-2) were collected on March 31, and April 7, 2004, respectively.

Summary for SDG 0404179A

The QC presented in SDG 0404179A is acceptable with no qualification of the data necessary.

Major Problems for SDG 0404179A

None.

Minor Problems for SDG 0404179A

None.

Notes for SDG 0404179A

Data were analyzed within holding time requirements. An initial calibration and continuing calibration were analyzed and were within QC limits. The surrogate spikes and internal standard were within QC limits. The laboratory control samples and instrument performance checks were within QC limits. Target compounds were not detected in the laboratory blank.

Report Content Statement for SDG 0404179A

Validation of the VOCs data was performed following guidance from the Region III Modifications to National Functional Guideline for Organic Data Review Multi-Media, Multi-Concentration (September 1994) and Innovative Approaches to Data Validation (June 1995) Level M3.

Data Validation Bally, PA

Data Validation Narrative for SDG 0404179B

Overview for SDG 0404179B

The samples were sent to Air Toxic Ltd, located in Folsom, California for analysis. The samples were analyzed for selected volatile organic compounds (VOCs) by modified United States Environmental Protection Agency (USEPA) method TO-15 GC/MS full scan.

Two samples (SV-3 and SV-4) were collected on March 31, 2004.

Summary for SDG 0404179B

The QC presented in SDG 0404179B is acceptable with no qualification of the data necessary.

Major Problems for SDG 0404179B

None.

Minor Problems for SDG 0404179B

None.

Notes for SDG 0404179B

Data were analyzed within holding time requirements. An initial calibration and continuing calibration were analyzed and were within QC limits. The surrogate spikes and internal standard were within QC limits. The laboratory control samples and instrument performance checks were within QC limits. Target compounds were not detected in the laboratory blank.

Report Content Statement for SDG 0404179B

Validation of the VOCs data was performed following guidance from the Region III Modifications to National Functional Guideline for Organic Data Review Multi-

Data Validation Bally, PA

Media, Multi-Concentration (September 1994) and Innovative Approaches to Data Validation (June 1995) Level M3.

Appendix A

Glossary of Data Qualifiers for all SDGs, Not Applicable

Appendix B

Data Summary Forms by SDG, Not Applicable

Appendix C

Laboratory Report Results by SDG

Appendix D

Laboratory Report TICs, Not Analyzed

Appendix E

Support Documentation by SDG, Not Applicable